



# ECL 105<sup>®</sup>

Single Channel Coagulation Analyzer



Tests performed are PT, APTT, FBG, Factor Assays, LA, PS and D Dimer

Multilevel control QC program available

Built-in incubator with 5 reaction cuvette position and graphic printer

Large graphical alpha numeric color touch screen display for ease of use



A Modern and Advanced Analyzer in Hemostasis

| CLOTTING | IMMUNOGENIC ASSAYS |

Erba Coagulation Line

 $\epsilon$ 

# **ECL 105**

## Single Channel Coagulation Analyzer

#### SPECIFICATIONS

Principles : Clotting assays, Light Scatter Principle (640nm), Immunogenic Turbidimetric Assays (800nm)

Test Menu : PT, APTT, FBG, Intrinsic and Extrinsic Factor Assays,

LA, PS and D Dimer, programmable

Number of Channel : One

Display : Large graphical touch screen display

Reaction Cuvette Holder : 5 Positions for incubation of single reaction cuvette

Reagent Cup Holder : 5 Positions

(4 cups and 1 bottle with programmable stirring option)

Printer : Built-in Graphic Thermal Printer

Units of Measurement : Seconds, %, INR, mg/dl, g/dl, ratio, etc.

Coagulation Clotting Curve : Yes

Reagents : 6 point Multi-standard Graph, on display on print

Operating Temperature : 17-32 Degrees Celsius, Max. 80% RH, non-condensing

QC : QC with L-J graph

Power Supply : 100-250V ~47-63Hz, 150VA

Interface : USB port, Pen Drive / LIS compatible,

software upgradable

System : Microprocessor based

Database : >250 results with coagulation Curve

Cuvette and Reagent Management : Cuvette usage and reagent lot and expiry management.

Power Consumption : 150VA or less

Dimension : 216 x 205 x 75 mm, 0.9kg

\*Specifications are subject to change without notice as an ongoing upgradation.


#### **ERBA COAGULATION REAGENTS**

Erba Protime LS	Erba Factor Deficient Plasma	Erba D Dimer R	
Erba Actime	Erba LA1 Screen	Erba Standard Plasma	
Erba Calcium Chloride	Erba LA2 Confirm	Erba Control N/P	
Erba Thrombin Reagent	Erba LA Control (High)	Erba Control N/P Plus	
Erba Thrombin Time	Erba Protein S Clotting	Erba Consummables	




ECL 105					
ID:	Narayan S				
ASSAY:	PT				
14.09.2016	04:50				
Res. 1:	15.88 sec				
Res. 2:	1.33 INR				
Result curve AD 533 444 356 178					
89					
sec 6	13 19 26				





	1	2	3	4	5	6
T mg/dL	412.0	316.0	212.0	106.0	70.7	
R Sec	6.80	7.80	6.50	14.40	23.50	
Calc. mg/dL	353.2	291.7	258.7	124.0	60.6	

### CALIBRATION CHART: Factor VIII



		1	2	3	4	5	6
I	T mg/dL	124.8	62.4	31.2	15.6	70.7	
I	R Sec	52.76	59.40	68.84	60.08	23.50	
I	Calc. mg/dL	118.7	66.1	31.9	15.1	60.6	







Mallaustrasse 69-73 68219 Mannheim, Germany Telephone : (+49) 621 8799770 Fax : (+49) 621 8799688 Email : sales@erbamannheim.com

